



**STEP**  
INDUSTRIAL  
FILTERS  
MADE IN SPAIN

**HMU40**

Caudal: 40l/min

Carcasa: HMD650130-1

TENSIÓN DE 380 VAC/50  
AC/50Hz  
RELLA (l)

**STEP**  
INDUSTRIAL  
FILTERS  
MADE IN E.U.

Element

Housing: HHI(D)050300-1

**STEP**  
INDUSTRIAL  
FILTERS

Filtration mobile units

Step Industrial Filters filtration mobiles units guarantee optimum filtration for hydraulic oil or fuel tanks, with a wide range of micron ratings, adjusting to every need of filtration.



## HMU20

**PUMP:** vanes

**ELECTRIC MOTOR:** 1,2 kw 230 v single-phase feeding

**FLUID:** hydraulic oil

**RECOMMENDED VISCOSITY:** ISO VG 32/46/68

**FLUID RECOMMENDED TEMPERATURE:** 20°C a 65°C

**INLET/OUTLET CONEXION:** 3/4" / 3/4"

**INLET/OUTLET HOSE LENGTH:** 3 meters/ 3 meters

## HMU40

**PUMP:** gears

**ELECTRIC MOTOR:** 0,75 kW 230v / 400v 50Hz three-phase feeding

**FLUID:** hydraulic oil

**RECOMMENDED VISCOSITY :** ISO VG 32/46/68

**FLUID RECOMMENDED TEMPERATURE:** 20°C a 65°C

**INLET/OUTLET CONEXION:** 3/4" / 3/4"

**INLET/OUTLET HOSE LENGTH:** 3 meters/ 3 meters





## FMU18

**FILTER:** Separ SWK2000/18

**NOMINAL FLOW:** 18 l/min

**TRANSFER CARRIAGE:** Tuthill PA1 – 60 a 220V

**MICRONAGE OPTIONS:** 10 $\mu$ , 30 $\mu$

**FLUID:** diesel fuel

**BSP CONEXION:**  $\frac{3}{4}$ "

### Special filtration needs:

## HMU2/MIC

**FILTER:** RMF housings and filter elements

**NOMINAL FLOW:** 2,1 l/min

**ENGINE:** single-phase feeding 1CV

**MICRONAGE OPTIONS:** 0,5 $\mu$ , 1 $\mu$ , 3 $\mu$ , 6 $\mu$ , 12 $\mu$

**MICRFILTRATION:** removal of water and solid particles

**BSP CONEXION:**  $\frac{1}{2}$ "





STEP INDUSTRIAL FILTERS  
Industry Department  
Telf.: (+34) 916 707 212  
industria@filtroscartes.com  
www.filtroscartes.com



SIF/HMU/0216/V